




Produced by Land Information and Titles
Department of Natural Resources and Mines

QSIC Parcel Identification Standard

Reviewed September 2005

Queensland Spatial Information Council



smart spatial solutions for Queensland

www.qsic.qld.gov.au



Queensland
Government

Parcel Identification

August 1997

(Reviewed and amended September 2005 to incorporate department name change to
Department of Natural Resources and Mines)

Produced by

The Land Information and Titles

for

The Queensland Department of Natural Resources and Mines

For further information contact:

Information Policy

Department of Natural Resources and Mines

Address: GPO Box 2454 Brisbane Qld. 4001

Phone number: (07) 3405 6956

Fax number: (07) 3405 6899

TABLE OF CONTENTS

TABLE OF CONTENTS	2
INTRODUCTION	3
THE NEED FOR PARCEL IDENTIFICATION.....	3
THE PARCEL IDENTIFIER	4
DEFINITION	4
SPECIFICATION.....	4
THE PARCEL LABEL	5
PLAN TYPE.....	6
PLAN LABEL.....	7
PLAN NUMBER.....	7
ALLOCATING PARCEL IDENTIFIERS	8
REPRESENTING PARCEL IDENTIFIERS	8
WRITTEN DESCRIPTIVE.....	8
OUTPUT DESCRIPTIVE.....	10
STORAGE DESCRIPTIVE	10
ACCESS DESCRIPTIVE	11
DATA EXCHANGE	12

INTRODUCTION

The purpose of this document is to define a consistent method for uniquely identifying all land parcels in Queensland for which the Department of Natural Resources and Mines (NR&M) has a vested interest.

In the context of this document, **a parcel is understood to be a bounded area in which an interest relating to the land exists or will exist**. It is also recognised that such a parcel (or bounded area) may have more than one interest associated with it.

For the purposes of this document, such parcels have been categorised into two groups.

- Primary Parcel Interest - those cadastral parcels created to issue a primary legal interest in land, (e.g. freehold or crown lease). A cadastral parcel is accepted as being the smallest area of land capable of sale without further approval to subdivide.

- Secondary Parcel Interest - those parcels created to represent a secondary interest such as an easement, commercial lease, or license;
 - those parcels created to represent some administrative management purpose over existing primary parcels (or part thereof) that reflect community concepts of rights which prevail over ownership.

Because a secondary parcel interest must affect the interest of a primary parcel, it is recommended that all secondary parcels ultimately be linked to the primary parcels (i.e. Lot on Plan). Although such a linking mechanism is considered to be outside the scope of this document, it is recommended that this be addressed as a matter of priority by those individual business areas creating secondary parcel interests.

THE NEED FOR PARCEL IDENTIFICATION

NR&M recognises that a standard convention for the identification of “parcels of interest” is a prerequisite to the efficient sharing of information relating to land. It is also recognised that once a parcel of land is created for a particular interest, that parcel can also be used to define interests created by other parties. Therefore, the purpose for which the parcel was created may not be the only interest defined by that parcel.

The model presented in this document is based on the existing convention used to describe cadastral parcels (primary parcels). This convention was developed in 1985 and is referred to as “Lot/Plan”, e.g. 29/RP812345. The fundamental simplicity of the Lot/Plan description as an identifier for cadastral parcels has been that the plan number is unique. The parcel numbers within that plan are also unique.

Note: **A Plan is a document that graphically displays a parcel, or parcels of land and is uniquely numbered. This definition includes registered plans as well as sketches, diagrams and electronic representations displaying land parcels at any accuracy.**

Although this has been suitable for cadastral parcels and has been widely accepted, no similar approach to secondary land parcels has been adopted.

Government agencies deal with a broad range of secondary parcels ranging from building sites within cadastral parcels, easements that pass across a number of cadastral parcels to watershed administrative areas which cover many hundreds of cadastral parcels. Parcels can also be representative of three dimensional space - for example, strata titles, volumetric parcels, and mining interests.

THE PARCEL IDENTIFIER

This document sets out the required elements that make up the Parcel Identifier, explains their relationship with each other, and outlines a recommended specification for its use.

DEFINITION

‘A Parcel Identifier unambiguously identifies a parcel of land’.

Such an identifier shall be assigned by that NR&M business area responsible for that particular land interest. Figure 1 graphically demonstrates the elements of the parcel identifier according to this Standard.




Figure 1 – NR&M Parcel Identifier Elements

SPECIFICATION

The elements that uniquely identify a parcel shall be documented and displayed according to the following specification.

Note: **A Bold typeface has been used only to assist in explaining and demonstrating the purpose and use of a parcel identifier element and does not form part of this Standard's specification.**

THE PARCEL LABEL

On a plan, parcels are labelled so that they can be distinguished from one another. The **Parcel Label** is the unique number or letter assigned to the parcel by its creator. This label is considered mandatory.

Once established by the creator, the **Parcel Label** shall be recorded in all appropriate systems to ensure that the integrity of the **Parcel Label** is maintained.

- The same **Parcel Label** shall not be used for 2 different parcels on the same plan even if the parcels are for different purposes (i.e. Easement A and Lease A will not exist on the same plan).
- The administering authority of a plan series is responsible to ensure that uniqueness of Parcel Labels within a single plan is maintained.

Specification:

The **Parcel Label** consists of a 5 character field for both primary and secondary parcels.

- It can be either an alpha string or a numeric string. A combined alpha/numeric string is not acceptable (i.e. 1A or A1 are considered unacceptable).
- All alpha characters are UPPERCASE.

Example:

29 on RP812345

(acceptable)

A on RP812345

(acceptable)

1 on PWH4010

(acceptable)

A1 on NRM5678

acceptable)

(not

1a on NRM12345

acceptable)

(not

Note: **The interest or the purpose for which a parcel was created may or may not be unique to a particular user. For example, the lease type may be used as an attribute by all clients to distinguish the lease over their land, however, a parcel type such as a Dam Catchment Area may be unique to a single user.**

This parcel type is an attribute of the parcel and is not required to uniquely identify that parcel. Therefore, the type of parcel does not form part of the unique parcel identifier. However, it can be used as an optional field during data exchange.

PLAN TYPE

The **Plan Type** is that component of the **Parcel Identifier** that identifies the plan series to which the plan belongs. Initiating a new **Plan Type** is the responsibility of the business area for which a particular series is required. All efforts should be taken by the business area to ensure:

- it is unique throughout the State;
- information about all **Plan Types** (for both current series and those no longer in use) is available for all parcel based plans within Queensland and is maintained.

Note: **A user may be restricted to a particular range of Plan Labels within a Plan Type. For example, a client may wish to use the Plan Type of SL which is a disused Plan Type for the County of Stanley for Crown Actions under the Land Act. In this case the Plan Type will also define an acceptable range for that agency to use (ie start the series at 20000).**

Historically where no definitive plan of the parcel was available (e.g. unsurveyed parcels, existing permits to occupy, Mining Leases) the tenure prefix and number was used, e.g. 1 on PER5234. In those cases, the description of the parcel was documented on the official file for that tenure. Currently, all new parcels of these characteristics are prepared to conform with the *Survey and Mapping Infrastructure Regulations 2003* by the preparation of an appropriate plan of survey.

Primary and Secondary parcels can be represented by the same Plan Type. For example, for a cadastral parcel (primary parcel), the **Plan Type** may be **RP** [Registered Plan]. Secondary parcels, such as an Easement, may also be represented on that particular **RP** plan. Alternatively, specialised **Plan Types** can be used.

Specification:

The **Plan Type** consists of an alpha string only, to a maximum of 5 characters (within a 10 character Plan Number).

- All characters are UPPERCASE.
- The character string shall not end in either the letter “I” , “O” or “S” if at all possible. Where this cannot be avoided, an appropriate type font shall be used when displaying a **Parcel Identifier** to remove any unnecessary confusion between what is represented as the **Plan Type** and the **Plan Label**.

Example:

29 on RP 812345	(acceptable)
29 on Rp 812345	(not acceptable)
29 on PWS 4010	(not acceptable)
29 on PWS 4010	(acceptable)
29 on PWI 4010	(not acceptable)
29 on PWI 5678	(acceptable)

PLAN LABEL

The **Plan Label** is the number allocated from within a specified range assigned for that **Plan Type**. The creating agency or organisation is responsible to ensure the **Plan Label** allocated to a plan is unique within that plan series or type.

Specification:

A **Plan Label** shall consist of a numeric string with a maximum of 9 characters (within a 10 character Plan Number).

- The character string shall not contain any leading zeros.

Example:

RP123456	(acceptable)
RP00001	(not acceptable)
A123456789	(acceptable)
PWR123456A	(not acceptable)

PLAN NUMBER

In Queensland, the graphical representation of a particular parcel is referenced by what is commonly referred to as a **Plan Number**. For the purposes of this document, **Plan Number** consists of a combination of the two Parcel Identifier elements **Plan Type** and **Plan Label** respectively. Representation of a parcel using **Plan Number** shall adhere to the following specification in conjunction with that outlined for **Plan Type** and **Plan Label**.

Specification:

Plan Number consists of a variable length string made up of a combination of both alpha and numeric characters.

- The maximum length of the variable string shall not exceed 10 characters.
- There will be no trailing alpha characters.
- **Plan Number** shall always be displayed as a single string with no intermediate spaces, or other delimiters “.”, “/” etc.

Example:

RP812345	(acceptable)
RP 812345	(not acceptable)
RP.812345	(not acceptable)
RP812345A	(not acceptable)
NV/45	(not acceptable)
NV45	(acceptable)

ALLOCATING PARCEL IDENTIFIERS

To ensure uniqueness of parcel identification, it is necessary to control the allocation and use of **Parcel labels** and **Plan Numbers** (i.e. **Plan Type** and **Plan Label**). The following conventions concerning parcels shall to be adhered to:

- The parcel shall be unambiguously identified on a plan or in a document. In special cases (approved by the creator of an interest), a parcel will be described by metes and bounds or by adjoining descriptions in a public document (e.g. in the lease document or permits to occupy). In these cases a referenced document will be used as the **Plan Number**.
- The precision of a defined parcel is governed by the administrative process for which the interest is to be created.
- Primary parcels must not overlap other primary parcels, that is, only one primary parcel can occupy a particular physical space. (NB. This does not exclude primary parcels created in strata, since they each occupy a unique three dimensional space).
- Secondary parcels are defined for a particular interest (e.g. easement) and may occupy the same physical space as other secondary or primary parcels.
- A secondary parcel may be a sub-parcel to a primary parcel or an aggregation of many primary parcels. The administrative processes of the organisation creating the interest will determine the extent of the relationship between a primary and secondary parcel.

REPRESENTING PARCEL IDENTIFIERS

The following protocols shall be used when parcels are being identified for the purposes of data exchange and presentation in documents, schedules and computer screens.

WRITTEN DESCRIPTIVE

This protocol will apply when identifying and representing a parcel for the following purposes:

- ‘Full Written Word’ when representing a parcel for any official or legal purpose;
- ‘Abbreviated Written Form’ when representing a parcel/s in tables, short forms or schedules which form part of a report or general document.

(a) FULL WRITTEN WORD FORM

Format:

[PARCEL LABEL] on [PLAN NUMBER]

The word ‘PLAN’ has traditionally been used before **PLAN NUMBER** when writing the full description. This serves no particular purpose in identifying the parcel and therefore is not required under this Standard.

Where the interest being described refers to multiple parcels, the number of Parcel Labels shall be represented:

- individually, separated by the word “**and**”; or
- as a range, which is represented by the lowest **Parcel Label**, the word “**to**” followed by the highest **Parcel Label** in the sequence.

Example:

4 on RP12345	(acceptable)
4 RP12345	(not acceptable)
1 and 3 on RP1234567	(acceptable)
1 & 3 on RP1234567	(not acceptable)
1 to 3 on RP1234567	(acceptable)
1 to 3/RP1234567	(not acceptable)
1 and 3 to 5 on RP12345	(acceptable)

Multiple lots on multiple plans cannot be used as ranges.

- Where multiple parcels being identified are represented by more than one **Plan Number**, each individual or range of **Parcel Identifiers** shall be separated by the word ‘**and**’.

Example:

1 to 3 on RP812345 and RP900001	(not acceptable)
1 to 3 on RP812345 and 1 to 3 on RP900001	(acceptable)
1 to 3 on PWL45678 and A on A123456789	(acceptable)

(b) ABBREVIATED WRITTEN FORM

Format:

[PARCEL LABEL/S] [PLAN NUMBER]

Where the interest being described refers to multiple parcels, the number of Parcel Labels shall be represented:

- individually, separated by the delimiter “,” ; or
- as a range, which is represented by the lowest **Parcel Label**, the delimiter “-” followed by the highest **Parcel Label** in the sequence.

Example:

4 RP12345	(acceptable)
1,3 RP1234567	(acceptable)
1,3/RP1234567	(not acceptable)
1-3 RP1234567	(acceptable)
1 to 3 RP1234567	(not acceptable)
1,3-5 RP12345	(acceptable)

Multiple lots on multiple plans cannot be used as ranges.

- Where multiple parcels being identified are represented by more than one **Plan Number**, each individual or range of **Parcel Identifiers** shall be separated by the character “&”.

Example:

1-3 RP812345 & RP900001	(not acceptable)
1-3 RP812345 & 1-3 RP900001	(acceptable)
1-3 PWL45678 & A A123456789	(acceptable)

OUTPUT DESCRIPTIVE

The output and subsequent display of a **Parcel Identifier** resulting from an enquiry shall be represented in accordance with the **Full Written Form**.

STORAGE DESCRIPTIVE

The following protocol shall be used where a **Parcel Identifier** forms an integral part of a database design. Creators of the database or system shall ensure that the appropriate fields are set up to accept a **Parcel Identifier** according to this format.

Format:

A **Parcel Identifier** shall be represented as two separate fields containing **Parcel Label** and **Plan Number** respectively, or as three individual fields of information containing **Parcel Label**, **Plan Type** and **Plan Label**.

Example:

(2 Fields)

Parcel Label	Plan Number	
1	RP12345678	(acceptable)
2	RP12345678	“

or

(3 Fields)

Parcel Label	Plan Type	Plan Label	
1	RP	12345678	(acceptable)
2	RP	12345678	“

(1 Field)

Parcel Identifier	
1/RP12345678	(not acceptable)
1 on RP12345678	(not acceptable)

In all instances each Parcel being represented must be stored individually and not as a range of parcels.

(2 Fields)

Parcel Label	Plan Number
1-3	RP12345678
1,3-5	RP12345678

(not acceptable)
“

or

(3 Fields)

Parcel Label	Plan Type	Plan Label
1-3	RP	12345678
1,3-5	RP	12345678

(not acceptable)
“

Note: **Whilst it is recognised that a number of databases and systems may not conform completely with the “acceptable” formats, migration towards this Standard shall be pursued as a matter of priority. (e.g. System upgrades, new entries etc).**

ACCESS DESCRIPTIVE

Where a Parcel Identifier is used as the entry key for accessing specific information contained within a manual or computerised database or system, appropriate entry procedures or display menus shall be in place that clearly separate the **Parcel Label** and **Plan Number** components.

Where such access includes multiple **Parcel Labels**, the number of Parcel Labels shall be represented:

- individually, separated by the delimiter “;” ; or
- as a range, which is represented by the lowest **Parcel Label**, the delimiter “-” followed by the highest **Parcel Label** in the sequence.

Example:

Parcel Label/s	Plan Number	
A	RP12345678	(acceptable)
1-6	RP12345678	(acceptable)
1to 6	RP12345678	(not acceptable)
1,3	RP12345678	(acceptable)
1 and 3	RP12345678	(not acceptable)

DATA EXCHANGE

As a minimum requirement, data can be transferred as a simple ASCII comma delimited file.

Note: **The Spatial Data Transfer Standard (SDTS) is now established as an Australasian Standard, AS/NZS 4270. When the SDTS is more widely used through the availability of SDTS software translators, the SDTS will become the preferred protocol for the transfer of spatial information. Therefore, the transfer format of a particular dataset, which contains the Parcel Identifier, should consider the form and structure of SDTS.**

Format:

PARCEL LABEL Character String max 5 Characters in Length
PLAN NUMBER Character String max 10 Characters in length

Plan Number can be exchanged as a single entity or as the two individual elements which make up the Plan Number (ie Plan Type and Plan Label).

Where the parcel identifier is being used as the "Key Entity" of the data exchange, the Parcel Label and Plan Number (or its components) shall be exchanged as individual entities.

Example:

Key Entity		Attribute
Parcel Label	Plan Number	Area (sq.mtrs)
12	RP12345678	10,000

or

Key Entity			Attribute
Parcel Label	Plan Type	Plan Label	Area (sq.mtrs)
12	RP	12345678	10,000

If the **Parcel Identifier** (or multiples thereof) is only being exchanged as “Additional Information”, then the **Abbreviated Written Form** is used to represent the parcel or range of parcels included in the exchange.

Example:

Key Entity	Attribute	Attribute
Cert. Of Title	Owner	Parcel Identifier
CT1234	J Bloggs	1,3-5 RP123456
CT1368	N Smith	2 RP24689